



Government of Karnataka
Department of Legal Metrology

ಕರ್ನಾಟಕ ಸರ್ಕಾರ
ಕಾನೂನು ಮತ್ತು ನ್ಯಾಯ ಇಲಾಖೆ

ಪಣಿ ರಶೀದಿ ನಂ./Receipt No 2207817777
ದಿನಾಂಕ/ Date : 15-03-2022

ಕಾನೂನು ಮತ್ತು ನ್ಯಾಯ ಅಧಿಕಾರಿ ಹೆಸರು
Name of Legal Metrology Officer

M S Kumar
ಸಂಯುಕ್ತ ಸಹಾಯಿ
Identification No

ಸತ್ಯಾಪನ ಪ್ರಮಾಣಿ ಪತ್ರ / CERTIFICATE OF VERIFICATION

ಕರ್ನಾಟಕ ರಂಗಲ್ ಮೆಟ್ರಾಲಜಿ (ಸಾಮ) ನಿಯಮಗಳು 2011 ರ

ಏಯಂ 4 (9) (c) ಪಾನೂ ಪದ್ಧತಿ VIII ರಂತೆ See Rule 4(8)(c) Schedule VIII of

The Karnataka Legal Metrology (Enforcement) Rules 2011

ಪಾನು ಕು ದಿಸ **ESSAE TERAOKA PVT LTD, NO-4-B, BOMMASANDRA INDUSTRIAL AREA BANGALURU** ಇವರಿಗೆ ಸಂಬಂಧಪಟ್ಟು ಈ

ಕೆಲಗೆ ಸಮೂಹಿಸಿರುವ ತೂಕ ಅಳತೆ ಇತ್ಯಾದಿಗಳನ್ನು ಸತ್ಯಾಪನೆ ಮಾಡಿದ್ದೇನೆ ಮತ್ತು ವ್ಯಕ್ತರು ಮಾಡಿವ್ಯನೇ.

I hereby certify that I have this day verified and stamped the under mentioned weights,measures,etc., belonging to

ಪರಿಮಾಣ Quantity	ವ್ಯಕ್ತರು, ಅಳತೆಗಳು, ತೂಕ ಮತ್ತು ಅಳತೆ ಸಾಧನಗಳು, ಅಳತೆಗಾರಿಕೆ ಮಾಡುವ ಜಾಣ, ಸಾಮಗ್ರಿಯವರು ಪಾನು ಇತರ ವಿವರಗಳು Weights,Measures,Weighing and Measuring Instruments,Capacity,Class,Manufacturer,Type etc	ಸತ್ಯಾಪನ ಶುಲ್ಕ Verification Fee Rs.	ಪಾನಿ ಮತ್ತು ಇತರ ವ್ಯಕ್ತಿಗಳು Carriage,Conveyances adjusting charges etc., In Rs.
1	NAWE - Capacity: 31 kg - Make: Essae Teroaka - Class: Class III - Evalue: 5g Minimum Capacity e - Model No: SI-810PRSS - Digital - Serial No: SI81022361772	300	GPP
Grand Total		300.00	

ಕಾನೂನುಬಾಹಿರವಾಗಿ ಬಳಸಿದ By **ESSAE TERAOKA PVT LTD**
ಪಾನು ಸತ್ಯಾಪನ ದಿನಾಂಕ Next Verification due on 14-03-2023
or date after repair, before being put into use, whichever is earlier.

- Note:-**
- 1) In the case of rejected weights measures etc the Legal Metrology Officer shall give separate certificate of rejection mentioning the reasons of rejection against each item.
 - 2) Please use LCR NO for further transactions.
 - 3) As per rule 4(13) of above said rules this verification certificate should be exhibited at the trade premises in a conspicuous place.
 - 4) This document is digitally signed, manual signature not required.

(In words) Three Hundred only



Legal Metrology Officer

Digitally signed By KUMAR M S, Date: 15/03/2022