



Government of Karnataka
Department of Legal Metrology



ಕರ್ನಾಟಕ ಸರ್ಕಾರ
ಕಾನೂನು ಮತ್ತು ಮಾಪನಾಂಶ್ರ ಇಲಾಖೆ

LCR NO : AC81013
ಕ್ರಮ ಸಂಖ್ಯೆ / SLNo: 912023078425025
ದಿನಾಂಕ / Date: 05/05/2023
ಸ್ಥಳ / ಶಿಬಿರ/ತಾಲೂಕು

ಸತ್ಯಾಪನ ಪ್ರಮಾಣ ಪತ್ರ / CERTIFICATE OF VERIFICATION

ಕರ್ನಾಟಕ ಲೀಗಲ್ ಮೆಟ್ರಾಲಜಿ (ಐಐ) ನಿಯಮಗಳು 2011 ರ

ನಿಯಮ 4 (8) (c) ಹಾಗೂ ಷೆಡ್ಯೂಲ್ VIII ರಂತೆ See Rule 4(8)(c) Schedule VIII of

The Karnataka Legal Metrology (Enforcement) Rules, 2021

KNT128

ನಾನು ಈ ದಿನ ESSAE TERAOKA PVT LTD, Plot No 4B, Bommasandra Industrial Area, Bangalore-560099 ಇವರಿಗೆ ಸಂಬಂಧಪಟ್ಟ ಈ

ಕೆಳಗೆ ನಮೂದಿಸಿರುವ ತೂಕ, ಅಳತೆ ಇತ್ಯಾದಿಗಳನ್ನು ಸತ್ಯಾಪನೆ ಮಾಡಿದ್ದೇನೆ ಮತ್ತು ಮೊಹರು ಮಾಡಿದ್ದೇನೆ.

I hereby certify that i have this day verified and stamped the under mentioned weights,measures,etc., belonging to

ಪರಿಮಾಣ Quantity	ತೂಕಗಳು, ಅಳತೆಗಳು, ತೂಕ ಮತ್ತು ಅಳತೆ ಸಾಧನಗಳು, ಅಳತೆ ಸಾಧನಗಳ ಮಾರು/ವರ್ಗ, ತಯಾರಿಸಿದವರು ಹಾಗೂ ಇತರೆ ವಿವರಗಳು Weights,Measures,Weighing and Measuring Instruments,Capacity,Class,Manufacturer,Type etc	ಸತ್ಯಾಪನ ಶುಲ್ಕ Verification Fee Rs.	ಸಾರಿಗೆ ಮತ್ತು ಇತರೆ ವೆಚ್ಚಗಳು Carriage,Conveyance adjusting charges etc., in Rs.
1	NAWI-E:- Capacity: 15 kg - Make: ESSAE TERAOKA - Class: Class III - Evaluate: 2g Minimum Capacity 20 e - Model No: SI-810PR - Digital - Serial No: S181023398007	300	CPP
Grand Total ₹			300.00

ಉಪಯೋಗಿಸಿದ ಸಹ/Used By ESSAE TERAOKA PVT LTD
ಮುಂದಿನ ಸತ್ಯಾಪನ ದಿನಾಂಕ /Next Verification due on **04-05-2024**
or date after repair , before being put into use, whichever is earlier.

- ಸೂಚನೆ:-**
- 1) In the case of rejected weights,measures,etc the Legal Metrology Officer shall give separate certificate of rejection mentioning the reasons of rejection against each item.
 - 2) Please use LCR NO for further transactions.
 - 3) As per rule 4(13) of above said rules this verification certificate should be exhibited at the trade premises in a conspicuous place.
 - 4) This document is digitally signed. manual signature not required.

₹ 300 (ಅಕ್ಷರಗಳಲ್ಲಿ)

(in words) Three Hundred only



(Signature)

Legal Metrology Officer

Digitally signed By MANOJ KUMAR GAJARE, Date:
05/05/2023