

ಹಣ ರಶೀದಿ ನಂ/ReceiptNo 2207817979
ದಿನಾಂಕ/ Date : 22-04-2022

ಕಾನೂನು ಮಾಪನಶಾಸ್ತ್ರ ಅಧಿಕಾರಿ ಹೆಸರು
Name of Legal Metrology Officer

M S Kumar

ಗುರುತಿನ ಸಂಖ್ಯೆ

Identification No

KNT012

ನಾನು ಈ ದಿನ **ESSAE TERAOKA PVT LTD, NO-4-B, BOMMASANDRA INDUSTRIAL AREA BANGALURU** ಇವರಿಗೆ ಸಂಬಂಧಪಟ್ಟ ಈ

ಕೆಳಗೆ ನಮೂದಿಸಿರುವ ತೂಕ, ಅಳತೆ ಇತ್ಯಾದಿಗಳನ್ನು ಸತ್ಯಾಪನೆ ಮಾಡಿದ್ದೇನೆ ಮತ್ತು ಮೊಹರು ಮಾಡಿದ್ದೇನೆ.

I hereby certify that i have this day verified and stamped the under mentioned weights,measures,etc., belonging to

ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಕಾನೂನು ಮಾಪನಶಾಸ್ತ್ರ ಇಲಾಖೆ

ಸತ್ಯಾಪನ ಪ್ರಮಾಣಿ ಪತ್ರ
ಕರ್ನಾಟಕ ಲೀಗಲ್ ಮೆಟ್ರಾಲಜಿ (ಇಎಂ) ನಿಯಮಗಳು 2011 ರ

ನಿಯಮ 4 (8) (c) ಹಾಗೂ ಷೆಡ್ಯೂಲ್ VIII ರಂತೆ See Rule 4(8)(c) Schedule VIII of

The Karnataka Legal Metrology (Enforcement) Rules,2011

Government of Karnataka

Department of Legal Metrology

CERTIFICATE OF VERIFICATION

Place : (Trader Premises)



ಪರಿಮಾಣ Quantity	ತೂಕಗಳು, ಅಳತೆಗಳು, ತೂಕ ಮತ್ತು ಅಳತೆ ಸಾಧನಗಳು, Weights,Measures,Weighing and Measuring Instruments.Capacity,Class,Manufacturer.Type etc	ಸತ್ಯಾಪನ ಶುಲ್ಕ Verification Fee Rs.	ಸಾರಿಗೆ ಮತ್ತು ಇತರ ವೆಚ್ಚಗಳು Carriage,Conveyance adjusting charges etc., in Rs.
1	NAWI-E:- Capacity: 30 kg - Make: Essae Teroaka - Class: Class II - E-value: 2g Minimum Capacity e - Model No: SI-850 - Digital - Serial No: SI85022365773	500	CPP
Grand Total ₹			500.00

ಉಪಯೋಗಿಸಿದ ಸಹಿ/Used By **ESSAE TERAOKA PVT LTD**

ಮುಂದಿನ ಸತ್ಯಾಪನೆ ದಿನಾಂಕ /Next Verification due on **21-04-2023**
or date after repair , before being put into use, whichever is earlier.

ಸೂಚನೆ:-
1) In the case of rejected weights,measures etc the Legal Metrology Officer shall give

separate certificate of rejection mentioning the reasons of rejection against each item.

2) Please use LCR NO for further transactions.

3) As per rule 4(13) of above said rules this verification certificate should be
exhibited at the trade premises in a conspicuous place.

4) This document is digitally signed, manual signature not required.

₹ 500 (ಅಕ್ಷರಗಳಲ್ಲಿ)

(in words) Five Hundred only



Legal Metrology Officer

Digitally signed By KUMAR M S, Date: 22/04/2022